Contents:

Volume 105, Number 1, July 1987

1 **The three-dimensional structure of the Na, K-ATPase from electron microscopy.** M. Mohraz, M. V. Simpson, and P. R. Smith

9 **Location of subunits within the acetylcholine receptor by electron image analysis of tubular crystals from *Torpedo marmorata*.** E. Kubalek, S. Ralston, J. Lindstrom, and N. Unwin

19 **Ordered transmembrane and extracellular structures in squid photoreceptor microvilli.** H. Saibil and E. Hewat

29 **Structural relationships of actin, myosin, and tropomyosin revealed by cryo-electron microscopy.** R. A. Milligan and P. F. Flicker

41 **An evaluation of confocal versus conventional imaging of biological structures by fluorescence light microscopy.** J. G. White, W. B. Amos, and M. Fordham

49 **The structure of calsequestrin in triads of vertebrate skeletal muscle: a deep etch study.** C. Franzini-Armstrong, L. J. Kenney, and E. Varriano-Marston

57 **Structure and assembly of desmosome junctions: biosynthesis, processing, and transport of the major protein and glycoprotein components in cultured epithelial cells.** E. J. Penn, C. Hobson, D. A. Rees, and A. I. Magee

69 **Effects of mutations in three domains of the vesicular stomatitis viral glycoprotein on its lateral diffusion in the plasma membrane.** B. F. Scullion, Y. Hou, L. Puddington, J. K. Rose, and K. Jacobson

77 **A three-dimensional approach to mitotic chromosome structure: evidence for a complex hierarchical organization.** A. S. Belmont, J. W. Sedat, and D. A. Agard

93 **Synaptonemal complex antigen location and conservation.** P. B. Moens, C. Heyting, A. J. J. Dietrich, W. van Raamsdonk, and Q. Chen

105 **Two distinct attachment sites for vimentin along the plasma membrane and the nuclear envelope in avian erythrocytes: a basis for a vectorial assembly of intermediate filaments.** S. D. Georgatos and G. Blobel

117 **Lamin B constitutes an intermediate filament attachment site at the nuclear envelope.** S. D. Georgatos and G. Blobel

127 **A single histone acetyltransferase from *tetrahymena* macronuclei catalyzes deposition-related acetylation of free histones and transcription-related acetylation of nucleosomal histones.** L. G. Chicoine, R. Richman, R. G. Cook, M. A. Gorovsky, and C. D. Allis

137 **Synthesis of globin RNA in enucleated differentiating murine erythroleukemia cells.** V. Volloch, B. Schweitzer, and S. Rits

145 **Newly synthesized proinsulin/insulin and stored insulin are released from pancreatic B cells predominantly via a regulated, rather than a constitutive, pathway.** C. J. Rhodes and P. A. Halban

155 **An antibody specific for an endoproteolytic cleavage site provides evidence that pro-opiomelanocortin is packaged into secretory granules in AtT20 cells before its cleavage.** J. Tooze, M. Hollinshead, R. Frank, and B. Burke

163 **Purification and characterization of constitutive secretory vesicles from yeast.** N. C. Walworth and P. J. Novick

175 **Further evidence for importance of the subunit combination of silk fibroin in its efficient secretion from the posterior silk gland cells.** F. Takei, Y. Kikuchi, A. Kikuchi, S. Mizuno, and K. Shimura

181 **Exocytosis induction in *Paramecium tetraurelia* cells by exogenous phosphoprotein phosphatase in vivo and in vitro: possible involvement of calciuneurin in exocytotic membrane fusion.** M. Momayezi, C. J. Lumpert, H. Kersken, U. Gras, H. Plattner, M. H. Krinks, and C. B. Klee

191 **Essential synergy between Ca^{2+} and guanine nucleotides in exocytotic secretion from permeabilized rat mast cells.** T. W. Howell, S. Cockcroft, and B. D. Gomperts

199 *Female sterile (1) yolkless*: a recessive female sterile mutation in *Drosophila melanogaster* with depressed numbers of coated pits and coated vesicles within the developing oocytes. P. J. DiMario and A. P. Mahowald

207 Functional expression of the human transferrin receptor cDNA in Chinese hamster ovary cells deficient in endogenous transferrin receptor. T. E. McGraw, L. Greenfield, and F. R. Maxfield

215 Two integral membrane proteins located in the *cis*-middle and *trans*-part of the Golgi system acquire sialylated N-linked carbohydrates and display different turnovers and sensitivity to cAMP-dependent phosphorylation. L. Yuan, J. G. Barriocanal, J. S. Bonifacino, and I. V. Sandoval

229 The endosomal concentration of a mannose 6-phosphate receptor is unchanged in the absence of ligand synthesis. S. R. Pfeffer

235 Characterization of translocation contact sites involved in the import of mitochondrial proteins. M. Schwaiger, V. Herzog, and W. Neupert

247 Import of the carboxy-terminal portion of acyl-CoA oxidase into perosisomes of *Candida tropicalis*. G. M. Small and P. B. Lazarow

251 Postpolymerization detyrosination of α-tubulin: a mechanism for subcellular differentiation of microtubules. G. G. Gundersen, S. Khawaja, and J. C. Bulinski

265 Assembly and turnover of detyrosinated tubulin in vivo. D. R. Webster, G. G. Gundersen, J. C. Bulinski, and G. G. Borisy

277 Sequential phosphorylation of chartin microtubule-associated proteins is regulated by the presence of microtubules. J. M. Aletta and L. A. Greene

291 Hemodynamics and the vascular endothelial cytoskeleton. I. M. Herman, A. M. Brant, V. S. Warty, J. Bonaccorso, E. C. Klein, R. L. Kormos, and H. S. Borovetz

303 Calcium-sensitive, lipid-binding cytoskeletal proteins of the human placental microvillar region. H. C. Edwards and A. G. Booth

313 The 110-kD protein–calmodulin complex of the intestinal microvillus is an actin-activated MgATPase. K. A. Conzelman and M. S. Mooseker

325 Calcium-regulated cooperative binding of the microvillar 110K-calmodulin complex to F-actin: formation of decorated filaments. L. M. Coluccio and A. Bretscher

335 Assembly of the intestinal brush border: appearance and redistribution of microvillar core proteins in developing chick enterocytes. T. Shibayama, J. M. Carboni, and M. S. Mooseker

345 Absorptive and mucus-secreting subclones isolated from a multipotent intestinal cell line (HT-29) provide new models for cell polarity and terminal differentiation. C. Huet, C. Sahuquillo-Merino, E. Coudrier, and D. Louvard

359 Changes in villin synthesis and subcellular distribution during intestinal differentiation of HT29-18 clones. B. Dudouet, S. Robine, C. Huet, C. Sahuquillo-Merino, L. Blair, E. Coudrier, and D. Louvard

371 Cap $Z_{(36/32)}$, a barbed end actin–capping protein, is a component of the Z-line of skeletal muscle. J. F. Casella, S. W. Craig, D. J. Maack, and A. E. Brown

381 Dynamic aspects of the contractile system in *Physarum* plasmodium. III. Cyclic contraction–relaxation of the plasmodial fragment in accordance with the generation–degeneration of cytoplasmic actomyosin fibrils. M. Ishigami, K. Kuroda, and S. Hatano

387 An actin network is present in the cytoplasm throughout the cell cycle of carrot cells and associates with the dividing nucleus. J. A. Traas, J. H. Doonan, D. J. Rawlins, P. J. Shaw, J. Watts, and C. W. Lloyd

397 Calcium-independent contraction in lysed cell models of teleost retinal cones: activation by unregulated myosin light chain kinase or high magnesium and loss of cAMP inhibition. B. Burnside and N. Ackland

403 Crystalline tubes of myosin subfragment-2 showing the coiled-coil and molecular interaction geometry. R. A. Quinlan and M. Stewart

417 Cell surface dynamics of neutrophils stimulated with phorbol esters or retinoids. J. M. Robinson, J. A. Badwey, M. L. Karnovsky, and M. J. Karnovsky

427 Retinoids as important regulators of terminal differentiation: examining keratin expression in individual epidermal cells at various stages of keratinization. R. Kopan, G. Traska, and E. Fuchs

441 The role of extracellular matrix in the migration and differentiation of parietal endoderm from teratocarcinoma embryoid bodies. L. B. Grabel and T. D. Watts

449 Characterization of a *Drosophila* protein that binds both epidermal growth factor and insulin-related growth factors. J. V. Garcia, M. P. Stoppelli, K. L. Thompson, S. J. Decker, and M. R. Rosner

Volume 105, Number 2, August 1987

Mini-Review

625 **Thrombospondin: a modular adhesive glycoprotein of platelets and nucleated cells.** W. A. Frazier

Regular Articles

633 **A yeast mutant defective at an early stage in import of secretory protein precursors into the endoplasmic reticulum.** R. J. Deshaies and R. Schekman

647 **Identification and characterization of a mouse cell mutant defective in the intracellular transport of glycoproteins.** F. Tufaro, M. D. Snider, and S. L. McKnight

659 **In vitro mutagenesis of trypsinogen: the role of the amino terminus in intracellular protein targeting to secretory granules.** T. L. Burgess, C. S. Craik, L. Matsuuchi, and R. B. Kelly

669 **The ornithine transcarbamylase leader peptide directs mitochondrial import through both its midportion structure and net positive charge.** A. L. Horwich, F. Kalousek, W. A. Fenton, K. Furtak, R. A. Pollock, and L. E. Rosenberg

679 **Acidification of the cytosol inhibits endocytosis from coated pits.** K. Sandvig, S. Olsnes, O. W. Petersen, and B. van Deurs

691 **Identification of an endosomal antigen specific to absorptive cells of suckling rat ileum.** J. M. Wilson, J. A. Whitney, and M. R. Neutra

705 **Early hypomethylation of 2′-O-ribose moieties in hepatocyte cytoplasmic ribosomal RNA underlies the protein synthetic defect produced by CCl_4.** G. A. Clawson, J. R. MacDonald, and C. H. Woo

713 **Three-dimensional reconstruction of a peroxisomal reticulum in regenerating rat liver: evidence of interconnections between heterogeneous segments.** K. Yamamoto and H. D. Fahimi

723 **Characterization of the bioluminescent organelles in *Gonyaulax polyedra* (dinoflagellates) after fast-freeze fixation and antiluciferase immunogold staining.** M.-T. Nicolas, G. Nicolas, C. H. Johnson, J.-M. Bassot, and J. W. Hastings

737 **Subcellular localization of variable surface glycoprotein phosphatidylinositol-specific phospholipase-C in African trypanosomes.** D. J. Grab, P. Webster, S. Ito, W. R. Fish, Y. Verjee, and J. D. Lonsdale-Eccles

747 **Membrane-bound IgE receptor complexes fused with rat basophilic leukemia cells mediate degranulation.** K. Estes, L. L. Monfalcone, S. R. Hammes, D. Holowka, and B. Baird

755 **Micrometer-scale domains in fibroblast plasma membranes.** E. Yechiel and M. Edidin

761 **Ionic channels in murine macrophages.** C. Randriamampita and A. Trautman

771 **Biosynthesis and interconversion of *Drosophila* nuclear lamin isoforms during normal growth and in response to heat shock.** D. E. Smith, Y. Gruenbaum, M. Berrios, and P. A. Fisher

791 **The expression of mutant epidermal keratin cDNAs transfected in simple epithelial and squamous cell carcinoma lines.** K. Albers and E. Fuchs

807 **Calcium-induced assembly of adherens junctions in keratinocytes.** E. J. O'Keefe, R. A. Briggaman, and B. Herman

819 **A plasma membrane integral sialoglycoprotein (Sgp 130) molecularly distinguishes nonjunctional dense plaque sites of microfilament attachment.** A. A. Rogalski

833 **Reversible binding of actin to gelsolin and profilin in human platelet extracts.** S. E. Lind, P. A. Janmey, C. Chaponnier, T.-J. Herbert, and T. P. Stossel

843 **Changes in the expression of α-fodrin during embryonic development of *Xenopus laevis*.** D. H. Giebelhaus, B. D. Zelus, S. K. Henchman, and R. T. Moon

855 **Tubulin interaction with kinetochore proteins: analysis by in vitro assembly and chemical cross-linking.** R. D. Balczon and B. R. Brinkley

863 **The relative contributions of polymer annealing and subunit exchange to microtubule dynamics in vitro.** S. W. Rothwell, W. A. Grasser, H. N. Baker, and D. B. Murphy

875 **Interzone microtubule behavior in late anaphase and telophase spindles.** W. M. Saxton and J. R. MacIntosh

887 **Chymotryptic digestion of *Tetrahymena* 22S dynein. I. Decomposition of three-headed 22S dynein to one- and two-headed particles.** Y. Y. Toyoshima

897 **Chymotryptic digestion of *Tetrahymena* ciliary dynein. II. Pathway of the degradation of 22S dynein heavy chains.** Y. Y. Toyoshima

903 **Basal body reorientation mediated by a Ca^{2+}-modulated contractile protein.** G. I. Mcfadden, D. Schulze, B. Surek, J. L. Salisbury, and M. Melkonian

913 **Complete nucleotide sequence and deduced polypeptide sequence of a nonmuscle myosin heavy chain gene from *Acanthamoeba*: evidence of a hinge in the rodlike tail.** J. A. Hammer III, B. Bowers, B. M. Paterson, and E. D. Korn

927 **Low ionic strength solubility of myosin in sea urchin egg extracts is mediated by a myosin-binding protein.** R. Yabkowitz and D. R. Burgess

937 **Heterokaryon analysis of muscle differentiation: regulation of the postmitotic state.** C. H. Clegg and S. D. Hauschka

949 **Growth factor control of skeletal muscle differentiation: commitment to terminal differentiation occurs in G_1 phase and is repressed by fibroblast growth factor.** C. H. Clegg, T. A. Linkhart, B. B. Olwin, and S. D. Hauschka

957 **The opposing effects of basic fibroblast growth factor and transforming growth factor-beta on the regulation of plasminogen activator activity in capillary endothelial cells.** O. Saksela, D. Moscatelli, and D. B. Rifkin

965 **Distribution and modulation of the cellular receptor for transforming growth factor-beta.** L. M. Wakefield, D. M. Smith, T. Masui, C. C. Harris, and M. B. Sporn

977 **Mouse ovarian granulosa cells produce urokinase-type plasminogen activator, whereas the corresponding rat cells produce tissue-type plasminogen activator.** R. Canipari, M. L. O'Connell, G. Meyer, and S. Strickland

983 **Lymphocyte recognition of high endothelium: antibodies to distinct epitopes of an 85–95 kD glycoprotein antigen differentially inhibit lymphocyte binding to lymph node, mucosal, or synovial endothelial cells.** S. Jalkanen, R. F. Bargatze, J. de los Toyos, and E. C. Butcher

991 **Multiple carbohydrate receptors on lymphocytes revealed by adhesion to immobilized polysaccharides.** B. K. Brandley, T. S. Ross, and R. L. Schnaar

999 **In vitro morphogenesis of chick embryo hypertrophic cartilage.** C. Tacchetti, R. Quarto, L. Nitsch, D. J. Hartmann, and R. Cancedda

1007 **Effect of heparin on synthesis of short chain collagen by chondrocytes and smooth muscle cells.** C. C. Brown and G. Balian

1013 **Effects of inhibition of proteoglycan synthesis on the differentiation of cultured rat Schwann cells.** D. J. Carey, C. M. Rafferty, and M. S. Todd

1023 **Differentiation of axon-related Schwann cells in vitro. I. Ascorbic acid regulates basal lamina assembly and myelin formation.** C. F. Eldridge, M. B. Bunge, R. P. Bunge, and P. M. Wood

---

Volume 105, Number 3, September 1987

Mini-Review

1039 **Some recent advances in the chemistry and biology of transforming growth factor–beta.** M. B. Sporn, A. B. Roberts, L. M. Wakefield, and B. de Crombrugghe

Regular Articles

1047 **Monoclonal antibodies that recognize transcription unit proteins on newt lampbrush chromosomes.** M. B. Roth and J. G. Gall

1055 **The mechanism of osmotic transfection of avian embryonic erythrocytes: analysis of a system for studying developmental gene expression.** M. R. Lieber, J. E. Hesse, J. M. Nickol, and G. Felsenfeld

1067 **The coordinated regulation of fibrinogen gene transcription by hepatocyte-stimulating factor and dexamethasone.** J. M. Otto, H. E. Grenett, and G. M. Fuller

1073 **Acquisition of antigens characteristic of adult pericentral hepatocytes by differentiating fetal hepatoblasts in vitro.** A. L. Bennett, K. E. Paulson, R. E. Miller, and J. E. Darnell, Jr.

1087 **Heat shock–induced changes in the structural stability of proteinaceous karyoskeletal elements in vitro and morphologic effect in situ.** M. McConnell, A. M. Whalen, D. E. Smith, and P. A. Fisher

1099 **Lamins A and C appear during retinoic acid–induced differentiation of mouse embryonal carcinoma cells.** S. Lebel, C. Lampron, A. Royal, and Y. Raymond

1105 **Basic proteins of the perinuclear theca of mammalian spermatozoa and spermatids: a novel class of cytoskeletal elements.** F. J. Longo, G. Krohne, and W. W. Franke

1121 **Characterization of a monoclonal antibody that induces the acrosome reaction of sea urchin sperm.** J. S. Trimmer, Y. Ebina, R. W. Schackmann, C.-G. Meinhof, and V. D. Vacquier

1129 **Synergistic signals in the mechanism of antigen-induced exocytosis in 2H3 cells: evidence for an unidentified signal required for histamine release.** M. A. Beaven, D. F. Guthrie, J. P. Moore, G. A. Smith, T. R. Hesketh, and J. C. Metcalfe

1137 **Aggregation of complement receptors on human neutrophils in the absence of ligand.** P. A. Detmers, S. D. Wright, E. Olsen, B. Kimball, and Z. A. Cohn

1147 **Lateral mobility of class I histocompatibility antigens in B lymphoblastoid cell membranes: modulation by cross-linking and effect of cell density.** B. E. Bierer, S. H. Herrmann, C. S. Brown, S. J. Burakoff, and D. E. Golan

1153 **Transmembrane signaling by the B subunit of cholera toxin: increased cytoplasmic free calcium in rat lymphocytes.** S. J. Dixon, D. Stewart, S. Grinstein, and S. Spiegel

1163 **An arg-gly-asp–directed receptor on the surface of human melanoma cells exists in a divalent cation–dependent functional complex with the disialoganglioside GD2.** D. A. Cheresh, R. Pytela, M. D. Pierschbacher, F. G. Klier, E. Ruoslahti, and R. A. Reisfeld

1175 **Human osteosarcoma cells resistant to detachment by an arg-gly-asp–containing peptide overproduce the fibronectin receptor.** S. Dedhar, W. S. Argraves, S. Suzuki, E. Ruoslahti, and M. D. Pierschbacher

1183 **Amino acid sequence of the human fibronectin receptor.** W. S. Argraves, S. Suzuki, H. Arai, K. Thompson, M. D. Pierschbacher, and E. Ruoslahti

1191 **A charged amino acid substitution within the transmembrane anchor of the Rous sarcoma virus envelope glycoprotein affects surface expression but not intracellular transport.** G. L. Davis and E. Hunter

1205 **A specific transmembrane domain of a coronavirus E1 glycoprotein is required for its retention in the Golgi region.** C. E. Machamer and J. K. Rose

1215 **Sorting of progeny coronavirus from condensed secretory proteins at the exit of the *trans*-Golgi network of AtT20 cells.** J. Tooze, S. A. Tooze, and S. D. Fuller

1227 **Kinetics of intracellular transport and sorting of lysosomal membrane and plasma membrane proteins.** S. A. Green, K.-P. Zimmer, G. Griffiths, and I. Mellman

1241 **Biogenesis of the rat hepatocyte plasma membrane in vivo: comparison of the pathways taken by apical and basolateral proteins using subcellular fractionation.** J. R. Bartles, H. M. Feracci, B. Stieger, and A. L. Hubbard

1253 **Translocation and clustering of endosomes and lysosomes depends on microtubules.** R. Matteoni and T. E. Kreis

1267 **Dynamic shape changes of cytoplasmic organelles translocating along microtubules.** B. Kachar, P. C. Bridgman, and T. S. Reese

1273 **MAP 1C is a microtubule-activated ATPase which translocates microtubules in vitro and has dynein-like properties.** B. M. Paschal, H. S. Shpetner, and R. B. Vallee

1283 **Control of microtubule nucleation and stability in Madin–Darby canine kidney cells: the occurrence of noncentrosomal, stable detyrosinated microtubules.** M.-H. Bré, T. E. Kreis, and E. Karsenti

1297 **Bending motion of *Chlamydomonas* axonemes after extrusion of central-pair microtubules.** Y. Hosokawa and T. Miki-Noumura

1303 **mRNAs for α- and β-tubulin and flagellar calmodulin are among those coordinately regulated when *Naegleria gruberi* amebae differentiate into flagellates.** D. K. Shea and C. J. Walsh

1311 **X-ray diffraction evidence for the existence of 102.0- and 230.0-nm transverse periodicities in striated muscle.** J. Bordas, G. R. Mant, G. P. Diakun, and C. Nave

1319 **Structural changes accompanying phosphorylation of tarantula muscle myosin filaments.** R. Craig, R. Padrón, and J. Kendrick-Jones

1329 **Genetic variants of C2 muscle cells that are defective in synthesis of the α-subunit of the acetylcholine receptor.** R. Black, D. Goldman, S. Hochschwender, J. Lindstrom, and Z. W. Hall

1337 **Calcitonin gene-related peptide and muscle activity regulate acetylcholine receptor α-subunit mRNA levels by distinct intracellular pathways.** B. Fontaine, A. Klarsfeld, and J.-P. Changeux

1343 **Calretinin: a gene for a novel calcium-binding protein expressed principally in neurons.** J. H. Rogers

1355 **Synapsin I: An actin-bundling protein under phosphorylation control.** T. C. Petrucci and J. S. Morrow

1365 **Sequential disassembly of myofibrils induced by myristate acetate in cultured myotubes.** Z. Lin, J. R. Eshelman, S. Forry-Schaudies, S. Duran, J. L. Lessard, and H. Holtzer

1377 **Skeletal muscle neural cell adhesion molecule (N-CAM): changes in protein and mRNA species during myogenesis of muscle cell lines.** S. E. Moore, J. Thompson, V. Kirkness, J. G. Dickson, and F. S. Walsh

1387 **Hexabrachion proteins in embryonic chicken tissues and human tumors.** H. P. Erickson and H. C. Taylor

1395 **The hyaluronate receptor is associated with actin filaments.** B. E. Lacy and C. B. Underhill

1405 **Erythroid anion transporter assembly is mediated by a developmentally regulated recruitment onto a preassembled membrane cytoskeleton.** J. V. Cox, J. H. Stack, and E. Lazarides

1417 **Synthesis and assembly of membrane skeletal proteins in mammalian red cell precursors.** M. Hanspal and J. Palek

1425 **Gelsolin is expressed in early erythroid progenitor cells and negatively regulated during erythropoiesis.** H. Hinssen, J. Vandekerckhove, and E. Lazarides

1435 **Selective interaction of peripheral and central nervous system cells with two distinct cell-binding domains of fibronectin.** S. L. Rogers, P. C. Letourneau, B. A. Peterson, L. T. Furcht, and J. B. McCarthy

1443 **Fibronectin-mediated adhesion of fibroblasts: inhibition by dermatan sulfate proteoglycan and evidence for a cryptic glycosaminoglycan-binding domain.** K. Lewandowska, H. U. Choi, L. C. Rosenberg, L. Zardi, and L. A. Culp

1455 **Inhibition of capillary endothelial cell growth by pericytes and smooth muscle cells.** A. Orlidge and P. A. D'Amore

1463 **Lysyl oxidase activity and elastin/glycosaminoglycan interactions in growing chick and rat aortas.** C. Fornieri, M. Baccarani-Contri, D. Quaglino, Jr., and I. Pasquali-Ronchetti

1471 **Placement Service Notices**

Volume 105, Number 4, October 1987

Mini-Reviews

1473 **Effects of cytochalasin and phalloidin on actin.** J. A. Cooper

1479 **Anionic regions in nuclear proteins.** W. C. Earnshaw

Regular Articles

1483 **Inhibition of nucleolar reformation after microinjection of antibodies to RNA polymerase I into mitotic cells.** R. Benavente, K. M. Rose, G. Reimer, B. Hügle-Dörr, and U. Scheer

1493 **Lampbrush chromosomes of the chicken, *Gallus domesticus*.** N. Hutchison

1501 **Characterization of ribosomal RNA synthesis in a gene dosage mutant: the relationship of topoisomerase I and chromatin structure to transcriptional activity.** D. E. Muscarella, V. M. Vogt, and S. E. Bloom

1515 **The subnuclear localization of tRNA ligase in yeast.** M. W. Clark and J. Abelson

1527 **Subcellular localization of a protein kinase required for cell cycle initiation in *Saccharomyces cerevisiae*: evidence for an association between the CDC28 gene product and the insoluble cytoplasmic matrix.** C. Wittenberg, S. L. Richardson, and S. I. Reed

1539 **Multiple methods of visualizing the yeast vacuole permit evaluation of its morphology and inheritance during the cell cycle.** L. S. Weisman, R. Bacallao, and W. Wickner

1549 **Existence of two populations of cyclin/proliferating cell nuclear antigen during the cell cycle: association with DNA replication sites.** R. Bravo and H. Macdonald-Bravo

1555 **Dithiothreitol and the translocation of preprolactin across mammalian endoplasmic reticulum.** I. Ibrahimi

1561 **Postendocytic maturation of acid hydrolases: evidence of prelysosomal processing.** C. A. Gabel and S. A. Foster

1571 **Lumenal location of the microsomal β-glucuronidase–egasyn complex.** J. Brown, E. K. Novak. K. Takeuchi, K. Moore, S. Medda, and R. T. Swank

1579 **Sorting of three secretory proteins to distinct secretory granules in acidophilic cells of cow anterior pituitary.** S. Hashimoto, G. Fumagalli, A. Zanini, and J. Meldolesi

1587 **Characterization of new mutants in the early part of the yeast secretory pathway isolated by a [^{3}H]mannose suicide selection.** A. P. Newman and S. Ferro-Novick

1595 **Receptor-mediated vectorial transcytosis of epidermal growth factor by Madin–Darby canine kidney cells.** E. Maratos-Flier, C.-Y. Y. Kao, E. M. Verdin, and G. L. King

1603 **Interactions of thrombospondin with endothelial cells: receptor-mediated binding and degradation.** J. E. Murphy-Ullrich and D. F. Mosher

1613 **Five-parameter fluorescence imaging: wound healing of living Swiss 3T3 cells.** R. DeBiasio, G. R. Bright, L. A. Ernst, A. S. Waggoner, and D. L. Taylor

1623 **Sorting of sphingolipids in epithelial (Madin–Darby canine kidney) cells.** G. van Meer, E. H. K. Stelzer, R. W. Wijnaendts-van-Resandt, and K. Simons

1637 **Structure of the novel membrane-coating material in proton-secreting epithelial cells and identification as an H^+ATPase.** D. Brown, S. Gluck, and J. Hartwig

1649 **The crystal lattice of (*Paramecium*) trichocysts before and after exocytosis by x-ray diffraction and freeze-fracture electron microscopy.** L. Sperling, A. Tardieu, and T. Gulik-Krzywicki

1663 **Redistribution of mouse sperm surface galactosyltransferase after the acrosome reaction.** L. C. Lopez and B. D. Shur

1671 **High lateral mobility of endogenous and transfected alkaline phosphatase: a phosphatidylinositol-anchored membrane protein.** M. Noda, K. Yoon, G. A. Rodan, and D. E. Koppel

1679 **Electron microscopic observations of reconstituted proteoliposomes with the purified major intrinsic membrane protein of eye lens fibers.** I. Dunia, S. Manenti, A. Rousselet, and E. L. Benedetti

1691 **On the mechanism of anaphase A: evidence that ATP is needed for microtubule disassembly and not generation of polewards force.** T. P. Spurck and J. D. Pickett-Heaps

1707 **In vivo microtubules are copolymers of available β-tubulin isotypes: localization of each of six vertebrate β-tubulin isotypes using polyclonal antibodies elicited by synthetic peptide antigens.** M. A. Lopata and D. W. Cleveland

1721 **An investigation of microtubule organization and functions in living *Drosophila* embryos by injection of a fluorescently labeled antibody against tyrosinated α-tubulin.** R. M. Warn, L. Flegg, and A. Warn

1731 **Tubulin phosphorylation by casein kinase II is similar to that found in vivo.** L. Serrano, J. Díaz-Nido, F. Wandosell, and J. Avila

1741 **F-actin binds to the cytoplasmic surface of ponticulin, a 17-kD integral glycoprotein from *Dictyostelium discoideum* plasma membranes.** L. J. Wuestehube and E. J. Luna

1753 **Visualization of myosin in living cells.** B. Mittal, J. M. Sanger, and J. W. Sanger

1761 **Lowering pH in blood platelets dissociates myosin phosphorylation from shape change and myosin association with the cytoskeleton.** V. T. Nachmias, K. Yoshida, and M. C. Glennon

1771 **Cytoskeletal reorganization of human platelets after stimulation revealed by the quick-freeze deep-etch technique.** T. Nakata and N. Hirokawa

1781 **Direction of force generated by the inner row of dynein arms on flagellar microtubules.** L. A. Fox and W. S. Sale

1789 **A lithium-sensitive regulator of sperm flagellar oscillation is activated by cAMP-dependent phosphorylation.** C. J. Brokaw

1799 **Flagellar root contraction and nuclear movement during flagellar regeneration in *Chlamydomonas reinhardtii*.** J. L. Salisbury, M. A. Sanders, and L. Harpst

1807 **Abnormal expression and processing of keratins in pupoid fetus (pf/pf) and repeated epilation (ER/ER) mutant mice.** C. Fisher, A. Jones, and D. R. Roop

1821 **Localizing the subunit pool for the temporally regulated polar pili of *Caulobacter crescentus*.** J. Smit

1829 **Visualization of the cytoplasmic surface of *Torpedo* postsynaptic membranes by freeze-etch and immunoelectron microscopy.** P. C. Bridgman, C. Carr, S. E. Pedersen, and J. B. Cohen

1847 **Effects of preganglionic denervation and postganglionic axotomy on acetylcholine receptors in the chick ciliary ganglion.** M. H. Jacob and D. K. Berg

1855 **Three differentially expressed Na,K-ATPase α subunit isoforms: structural and functional implications.** V. L. M. Herrera, J. R. Emanuel, N. Ruiz-Opazo, R. Levenson, and B. Nadal-Ginard

1867 **Chemotaxis of 3T3 and SV3T3 cells to fibronectin is mediated through the cell-attachment site in fibronectin and a fibronectin cell surface receptor.** A. Albini, G. Allavena, A. Melchiori, F. Giancotti, H. Richter, P. M. Comoglio, S. Parodi, G. R. Martin, and G. Tarone

1873 **Identification of multiple cell adhesion receptors for collagen and fibronectin in human fibrosarcoma cells possessing unique α and common β subunits.** E. A. Wayner and W. G. Carter

1885 **The platelet glycoprotein IIb/IIIa–like protein in human endothelial cells promotes adhesion but not initial attachment to extracellular matrix.** C. S. Chen, P. Thiagarajan, S. M. Schwartz, J. M. Harlan, and R. L. Heimark

1893 **Myelin-associated glycoprotein, a member of the L2/HNK-1 family of neural cell adhesion molecules, is involved in neuron–oligodendrocyte and oligodendrocyte–oligodendrocyte interaction.** M. Poltorak, R. Sadoul, G. Keilhauer, C. Landa, T. Fahrig, and M. Schachner

1901 **Heterogenous distribution of a basement membrane heparan sulfate proteoglycan in rat tissues.** J. R. Couchman

1917 **Characterization of concentration gradients of a morphogenetically active retinoid in the chick limb bud.** G. Eichele and C. Thaller

1925 **Major loss of the 28-kD protein of gap junction in proliferating hepatocytes.** R. Dermietzel, S. B. Yancey, O. Traub, K. Willecke, and J.-P. Revel

Volume 105, Number 5, November 1987

1937 **Expression of human cathepsin D in *Xenopus* oocytes: phosphorylation and intracellular targeting.** P. L. Faust, D. A. Wall, E. Perara, V. R. Lingappa, and S. Kornfeld

1947 **Renin, a secretory glycoprotein, acquires phosphomannosyl residues.** P. L. Faust, J. M. Chirgwin, and S. Kornfeld

1957 **Role for adenosine triphosphate in regulating the assembly and transport of vesicular stomatitis virus G protein trimers.** R. W. Doms, D. S. Keller, A. Helenius, and W. E. Balch

1971 **The plant vacuolar protein, phytohemagglutinin, is transported to the vacuole of transgenic yeast.** B. W. Tague and M. J. Chrispeels

1981 **Apparent endocytosis of fluorescein isothiocyanate–conjugated by *Saccharomyces cerevisiae* reflects uptake of low molecular weight impurities, not dextran.** R. A. Preston, R. F. Murphy, and E. W. Jones

1989 **Clathrin assembly proteins: affinity purification and a model for coat assembly.** J. H. Keen

1999 **Deep-etch visualization of 27S clathrin: a tetrahedral tetramer.** J. E. Heuser, J. H. Keen, L. M. Amende, R. E. Lippoldt, and K. Prasad

2011 **Clathrin assembly involves a light chain-binding region.** G. S. Blank and F. M. Brodsky

2021 **Antibodies to rat pancreas Golgi subfractions: identification of a 58-kD *cis*-Golgi protein.** J. Saraste, G. E. Palade, and M. G. Farquhar

2031 **An anchor-minus form of the polymeric immunoglobulin receptor is secreted predominantly apically in Madin–Darby canine kidney cells.** K. E. Mostov, P. Breitfeld, and J. M. Harris

2037 **Polarized secretion of a platelet-derived growth factor–like chemotactic factor by endothelial cells in vitro.** H.-G. Zerwes and W. Risau

2043 **Regulation of differentiation and polarized secretion in mammary epithelial cells maintained in culture: extracellular matrix and membrane polarity influences.** G. Parry, B. Cullen, C. S. Kaetzel, R. Kramer, and L. Moss

2053 **The inner centromere protein (INCENP) antigens: movement from inner centromere to midbody during mitosis.** C. A. Cooke, M. M. S. Heck, and W. C. Earnshaw

2069 **Redistribution of nuclear ribonucleoprotein antigens during herpes simplex virus infection.** T. E. Martin, S. C. Barghusen, G. P. Leser, and P. G. Spear

2083 **Changes in heterogenous nuclear RNP core polypeptide complements during the cell cycle.** G. P. Leser and T. E. Martin

2095 ***Drosophila* spectrin. I. Characterization of the purified protein.** R. Dubreuil, T. J. Byers, D. Branton, L. S. B. Goldstein, and D. P. Kiehart

2103 ***Drosophila* spectrin. II. Conserved features of the alpha-subunit are revealed by analysis of cDNA clones and fusion proteins.** T. J. Byers, R. Dubreuil, D. Branton, D. P. Kiehart, and L. S. B. Goldstein

2111 **The calpactin light chain is tightly linked to the cytoskeletal form of calpactin I: studies using monoclonal antibodies to calpactin subunits.** L. Zokas and J. R. Glenney, Jr.

2123 **Determination of cell division axes in the early embryogenesis of *Caenorhabditis elegans*.** A. A. Hyman and J. G. White

2137 **Free calcium increases during anaphase in stamen hair cells of *Tradescantia*.** P. K. Hepler and D. A. Callaham

2145 **Fura-2 measurement of cytosolic free Ca^{2+} in monolayers and suspensions of various types of animal cells.** A. Malgaroli, D. Milani, J. Meldolesi, and T. Pozzan

2157 **Characterization and dynamics of cytoplasmic F-actin in higher plant endosperm cells during interphase, mitosis, and cytokinesis.** A.-C. Schmit and A.-M. Lambert

2167 **Posttranslational modification and microtubule stability.** E. Schulze, D. J. Asai, J. C. Bulinski, and M. Kirschner

2179 **In vivo coassembly of a divergent β-tubulin subunit (cβ6) into microtubules of different function.** H. C. Joshi, T. J. Yen, and D. W. Cleveland

2191 **Microtubule assembly in cytoplasmic extracts of *Xenopus* oocytes and eggs.** D. L. Gard and M. W. Kirschner

2203 **A microtubule-associated protein from *Xenopus* eggs that specifically promotes assembly at the plus-end.** D. L. Gard and M. W. Kirschner

2217 **The positional stability of thick filaments in activated skeletal muscle depends on sarcomere length: evidence for the role of titin filaments.** R. Horowits and R. J. Podolsky

2225 **Rigor crossbridges are double-headed in fast muscle from crayfish.** F. Bard, C. Franzini-Armstrong, and W. Ip

2235 **A transient intracellular coupling explains the facilitation of responses in the bioluminescent system of scale worms.** J.-M. Bassot

2245 **An optional dyadic junctional complex revealed by fast-freeze fixation in the bioluminescent system of the scaleworm.** J.-M. Bassot and G. Nicolas

2257 **Structural localization of the O_2-evolving apparatus to multimeric (tetrameric) particles on the lumenal surface of freeze-etched photosynthetic membranes.** M. Seibert, M. DeWit, and L. A. Staehelin

2267 **Cone outer segment morphogenesis: taper change and distal invaginations.** M. S. Eckmiller

2279 **Cyclic AMP functions as a primary sexual signal in gametes of *Chlamydomonas reinhardtii*.** S. M. Pasquale and U. W. Goodenough

2293 **Cytokinesis is defective in *Dictyostelium* mutants with altered phagocytic recognition, adhesion, and vegetative cell cohesion properties.** D. R. Waddell, K. Duffy, and G. Vogel

2301 **Differential effects of temperature on cAMP-induced excitation, adaptation, and deadaptation of adenylate and guanylate cyclase in *Dictyostelium discoideum*.** P. J. M. Van Haastert

2307 **Morphology of astroglial cells is controlled by beta-adrenergic receptors.** W. Shain, D. S. Forman, V. Madelian, and J. N. Turner

2315 **Transfection of neonatal rat Schwann cells with SV-40 large T antigen gene under control of the metallothionein promoter.** G. I. Tennekoon, J. Yoshino, K. W. C. Peden, J. Bigbee, J. L. Rutkowski, Y. Kishimoto, G. H. DeVries, and G. M. McKhann

2327 **Structure and assembly of desmosome junctions: biosynthesis and turnover of the major desmosome components of Madin–Darby canine kidney cells in low calcium medium.** E. J. Penn, I. D. J. Burdett, C. Hobson, A. I. Magee, and D. A. Rees

2335 **Identification of a cDNA clone that contains the complete coding sequence for a 140-kD rat NCAM polypeptide.** S. J. Small, G. E. Shull, M.-J. Santoni, and R. Akeson

2347 **Interactions of a neuronal cell line (PC12) with laminin, collagen IV, and fibronectin: identification of integrin-related glycoproteins involved in attachment and process outgrowth.** K. J. Tomaselli, C. H. Damsky, and L. F. Reichardt

2359 **Expression sequences and distribution of two primary cell adhesion molecules during embryonic development of *Xenopus laevis*.** G. Levi, K. L. Crossin, and G. M. Edelman

2373 **Nucleated assembly of *Chlamydomonas* and *Volvox* cell walls.** W. S. Adair, S. A. Steinmetz, D. M. Mattson, U. W. Goodenough, and J. E. Heuser

2383 **Drosophila laminin: characterization and localization.** L. I. Fessler, A. G. Campbell, K. G. Duncan, and J. H. Fessler

2393 **Type III collagen can be present on banded collagen fibrils regardless of fibril diameter.** D. R. Keene, L. Y. Sakai, H. P. Bächinger, and R. E. Burgeson

2403 **The tandemly repeated sequences of cartilage link protein contain the sites for interaction with hyaluronic acid.** P. F. Goetinck, N. S. Stirpe, P. A. Tsonis, and D. Carlone

2409 **Thrombospondin-induced tumor cell migration: haptotaxis and chemotaxis are mediated by different molecular domains.** G. Taraboletti, D. D. Roberts, and L. A. Liotta

2417 **Rat hepatocytes in serum-free primary culture elaborate an extensive extracellular matrix containing fibrin and fibronectin.** S. C. Stamatoglou, R. C. Hughes, and U. Lindahl

2427 **Placement Service Notices**

Volume 105, Number 6, Part 1, December 1987

2433 **Nonrandom chromosome arrangements in germ line nuclei of *Sciara coprophila* males: the basis for nonrandom chromosome segregation on the meiosis I spindle.** D. F. Kubai

2447 **Cloning and sequence analysis of cDNA encoding p38, a major synaptic vesicle protein.** K. M. Buckley, E. Floor, and R. B. Kelly

2457 **Agrinlike molecules at synaptic sites in normal, denervated, and damaged skeletal muscles.** N. E. Reist, C. Magill, and U. J. McMahan

2471 **Identification of agrin, a synaptic organizing protein from *Torpedo* electric organ.** R. M. Nitkin, M. A. Smith, C. Magill, J. R. Fallon, Y.-M. M. Yao, B. G. Wallace, and U. J. McMahan

2479 **Neurite outgrowth on cryostat sections of innervated and denervated skeletal muscle.** J. Couvault, J. M. Cheney, and J. R. Sanes

2489 **Biosynthesis, membrane association, and release of N-CAM-120, a phosphatidylinositol-linked form of the neural cell adhesion molecule.** H.-T. He, J. Finne, and C. Goridis

2501 **Calcium-dependent cell-cell adhesion molecules (cadherins): subclass specificities and possible involvement of actin bundles.** S. Hirano, A. Nose, K. Hatta, A. Kawakami, and M. Takeichi

2511 **Amphibian neural crest cell migration on purified extracellular matrix components: a chondroitin sulfate proteoglycan inhibits locomotion on fibronectin substrates.** R. Perris and S. Johansson

2523 **The contact site A glycoprotein directly mediates cell-cell adhesion by homophilic binding in *Dictyostelioum discoideum*.** C.-H. Siu, A. Cho, and A. H. C. Choi

2535 **Urokinase-type plasminogen activator is induced in migrating capillary endothelial cells.** M. S. Pepper, J.-D. Vassalli, R. Montesano, and L. Orci

2543 **Association of a plaminogen activator inhibitor (PAI-1) with the growth substratum and membrane of human endothelial cells.** E. G. Levin and L. Santell

2551 **Monoclonal antibody to the thrombin receptor stimulates DNA synthesis in combination with gamma-thrombin or phorbol myristate acetate.** G. H. Frost, W. C. Thompson, and D. H. Carney

2559 **Basement membrane structure in situ: evidence for lateral association in the type IV collagen network.** P. D. Yurchenco and G. C. Ruben

2569 **Tenascin is associated with chondrogenic and osteogenic differentiation in vivo and promotes chondrogenesis in vitro.** E. J. Mackie, I. Thesleff, and R. Chiquet-Ehrismann

2581 **Immunocytolocalization of extensin in developing soybean seed coats by immunogold-silver staining and by tissue printing on nitrocellulose paper.** G. I. Cassab and J. E. Varner

2589 **Differences in the protein composition of bovine retinal rod outer segment disk and plasma membranes isolated by a ricin-gold-dextran density perturbation method.** R. S. Molday and L. L. Molday

2603 **Transcytosis of albumin in capillary endothelium.** A. J. Milici, N. E. Watrous, H. Stukenbrok, and G. E. Palade

2613 **Maturation of the catalytic α-subunit of Na,K-ATPase during intracellular transport.** K. Geering, J.-P. Kraehenbuhl, and B. C. Rossier

2621 **Connexin43, a protein from rat heart homologous to a gap junction protein from liver.** E. C. Beyer, D. L. Paul, and D. A. Goodenough

2631 **Import of rat ornithine transcarbamylase precursor into mitochondria: two-step processing of the leader peptide.** E. S. Sztul, J. P. Hendrick, J. P. Kraus, D. Wall, F. Kalousek, and L. E. Rosenberg

2641 **Processing of a wheat light-harvesting chlorophyll a/b protein precursor by a soluble enzyme from higher plant chloroplasts.** G. K. Lamppa and M. S. Abad

2649 **Import of fructose bisphosphate aldolase into the glycosomes of *Trypanosoma brucei*.** C. E. Clayton

2655 **Tyrosine sulfation is a *trans*-Golgi-specific protein modification.** P. A. Baeuerle and W. B. Huttner

2665 **The relationship of N-linked glycosylation and heavy chain-binding protein association with the secretion of glycoproteins.** A. J. Dorner, D. G. Bole, and R. J. Kaufman

2675 **Protein sorting among two distinct export pathways occurs from the content of maturing exocrine storage granules.** M. von Zastrow and J. D. Castle

2685 **Cytosolic-free calcium increases before and oscillates during frustrated phagocytosis in macrophages.** B. A. Kruskal, and F. R. Maxfield

2695 **Macrophages possess probenecid-inhibitable organic anion transporters that remove fluorescent dyes from the cytoplasmic matrix.** T. H. Steinberg, A. S. Newman, J. A. Swanson, and S. C. Silverstein

2703 **Chinese hamster ovary cell lysosomes rapidly exchange contents.** A. L. Ferris, J. C. Brown, R. D. Park, and B. Storrie

2713 **Kinetics of endosome acidification in mutant and wild type Chinese hamster ovary cells.** D. J. Yamashiro and F. R. Maxfield

2723 **Acidification of morphologically distinct endosomes in mutant and wild-type Chinese hamster ovary cells.** D. J. Yamashiro and F. R. Maxfield

2735 **Constitutive apical secretion of an 80-kD sulfated glycoprotein complex in the polarized epithelial Madin-Darby canine kidney cell line.** J. Urban, K. Parczyk, A. Leutz, M. Kayne, and C. Kondor-Koch

2745 **Two G-proteins act in series to control stimulus-secretion coupling in mast cells: use of neomycin to distinguish between G-proteins controlling polyphosphoinositide phosphodiesterase and exocytosis.** S. Cockcroft, T. W. Howell, and B. D. Gomperts

2751 **Direct visualization of the phosphorylated epidermal growth factor receptor during its internalization in A-431 cells.** J.-L. Carpentier, M. F. White, L. Orci, and C. R. Kahn

2763 **Immunochemical localization of myosin heavy chain isoforms and paramyosin in developmentally and structurally diverse muscle cell types of the nematode *Caenorhabditis elegans*.** J. P. Ardizzi and H. F. Epstein

2771 **Incorporation of nascent myosin heavy chains into thick filaments of cardiac myocytes in thyroid-treated rabbits.** M. P. Wenderoth and B. R. Eisenberg

2781 **Immunocytochemical studies of cardiac myofibrillogenesis in early chick embryos. I. Presence of immunofluorescent titin spots in the premyofibril stages.** K. T. Tokuyasu and P. A. Maher

2795 **Immunocytochemical studies of cardiac myofibrillogenesis in early chick embryos. II. Generation of α-actinin dots within titin spots at the time of the first myofibril formation.** K. T. Tokuyasu and P. A. Maher

2803 **Evidence for an actin-containing cytoplasmic precursor of the focal contact and the timing of incorporation of vinculin at the focal contact.** J. A. DePasquale and C. S. Izzard

2811 **Mobility of filamentous actin in living cytoplasm.** Y. Wang

2817 **Distribution and cellular localization of actin depolymerizing factor.** J. R. Bamburg and D. Bray

2827 **Rapidly transported organelles containing membrane and cytoskeletal components: their relation to axonal growth.** P. J. Hollenbeck and D. Bray

2837 **Erythrocyte adducin: a calmodulin regulated actin-bundling protein that stimulates spectrin–actin binding.** S. M. Mische, M. S. Mooseker, and J. S. Morrow

2847 **Temperature-dependent reversible assembly of taxol-treated microtubules.** C. A. Collins and R. B. Vallee

2855 **Ciliary protein conservation during development in the ciliated protozoan, *Oxytricha*.** G. W. Grimes and R. H. Gavin

---

Volume 105, Number 6, Part 2, December 1987

2861 **The role of transforming growth factor-beta in the development of the mouse embryo.** U. I. Heine, E. F. Munoz, K. C. Flanders, L. R. Ellingsworth, H.-Y. P. Lam, N. L. Thompson, A. B. Roberts, and M. B. Sporn

2877 **Persistence of liver-specific messenger RNA in culture hepatocytes: different regulatory events for different genes.** H. Isom, I. Georgoff, M. Salditt-Georgieff, and J. E. Darnell, Jr.

2887 **Anti–peptide antibodies detect steps in a protein conformational change: low-pH activation of the influenza virus hemagglutinin.** J. M. White and I. A. Wilson

2897 **Processing of rotavirus glycoprotein VP7: implications for the retention of the protein in the endoplasmic reticulum.** S. C. Stirzaker, P. L. Whitfeld, D. L. Christie, A. R. Bellamy, and G. W. Both

2905 **Translocation in yeast and mammalian cells: not all signal sequences are functionally equivalent.** P. Bird, M.-J. Gething, and J. Sambrook

2915 **Translocation of acyl-CoA oxidase into peroxisomes requires ATP hydrolysis but not a membrane potential.** T. Imanaka, G. M. Small, and P. B. Lazarow

2923 **Identification of a peroxisomal targeting signal at the carboxy terminus of firefly luciferase.** S. J. Gould, G.-A. Keller, and S. Subramani

2933 **Rat basophilic leukemia cells stiffen when they secrete.** Z.-Y. Liu, J.-I. Young, and E. L. Elson

2945 **Quantitative subcellular study of apical pole membranes from chicken oxyntic cells in resting and HCl secretory state.** C. S. Koenig, M. Dabiké, and M. Bronfman

2959 **The regulation of the affinity state of the *N*-formylated peptide receptor of neutrophils: the role of guanine nucleotide–binding proteins and the cytoskeleton.** R. G. Painter, K. Zahler-Bentz, and R. E. Dukes

2973 **Cytoskeletal–membrane interactions: a stable interaction between cell surface glycoconjugates and doublet microtubules of the photoreceptor connecting cilium.** C. J. Horst, D. M. Forestner, and J. C. Besharse

2989 **Effect of heavy chain phosphorylation on the polymerization and structure of *Dictyostelium* myosin filaments.** E. R. Kuczmarski, S. R. Tafuri, and L. M. Parysek

2999 **Expression in *Escherichia coli* of a functional *Dictyostelium* myosin tail fragment.** A. De Lozanne, C. H. Berlot, L. A. Leinwand, and J. A. Spudich

3007 **Assembly of smooth muscle myosin minifilaments: effects of phosphorylation and nucleotide binding.** K. M. Trybus and S. Lowey

3021 **Subunit exchange between smooth muscle myosin filaments.** K. M. Trybus and S. Lowey

3031 **Visualization of cardiac ventricular myosin heavy chain homodimers and heterodimers by monoclonal antibody epitope mapping.** C. A. Dechesne, P. Bouvagnet, D. Walzthöny, and J. J. Léger

3039 **Regulation of human mesothelial cell differentiation: opposing roles of retinoids and epidermal growth factor in the expression of intermediate filament proteins.** K. H. Kim, V. Stellmach, J. Javors, and E. Fuchs

3053 **Evidence that major 78–44-kD concanavalin A–binding glycopolypeptides in pig epidermis arise from the degradation of desmosomal glycoproteins during terminal differentiation.** I. A. King, A. Tabiowo, and P. R. Fryer

3065 **Isotypes of α-tubulin are differentially regulated during neuronal maturation.** F. D. Miller, C. C. G. Naus, M. Durand, F. E. Bloom, and R. J. Milner

3075 **Nerve terminal anchorage protein 1 (TAP-1) is a chondroitin sulfate proteoglycan: biochemical and electron microscopic characterization.** S. S. Carlson and T. N. Wight

3087 **Cell surface proteoglycan of mouse mammary epithelial cells is shed by cleavage of its matrix-binding ectodomain from its membrane-associated domain.** M. Jalkanen, A. Rapraeger, S. Saunders, and M. Bernfield

3097 **Fibronectin receptors of human keratinocytes and their expression during cell culture.** K.-I. Toda, T.-L. Tuan, P. J. Brown, and F. Grinnell

3105 **A fibronectin matrix is required for differentiation of murine erythroleukemia cells into reticulocytes.** V. P. Patel, and H. F. Lodish

3119 **Acknowledgment**

3123 **Author Index for Volume 105**